



**Reliability test report**

**LT P/N LT264WH-A-GL**

# SHEN ZHEN SHI L.T PHOTOELECTRICITY TECHNOLOGY CO., LTD



1000H

Iv

Test Item	Iv Test time and brightness relation rate.					Fail No.	Conclusion	Remark
	0hr	168hrs	336hrs	500hrs	1000hrs			
(OLT)	100.000%	98.548%	98.181%	96.949%	95.433%	0	Pass	(Test Condition) : IF =20mA; 1000Hrs

Data Set ----25 20mA	
Part Number:	LT264WH-A-GL
Number of Units:	20pcs
Actual Case Temperature(TS):	TS=26.4
Actual Ambient Temperature(TA):	TA=25.4
Life Test Drive Current	IF=20mA

	L50	L70	L80
LT264WH-A-GL	15177	7810	4886



# SHEN ZHEN SHI L.T PHOTOELECTRICITY TECHNOLOGY CO., LTD

LED 50% LED LED1000  
MTBF .

$$R(\%)=[e^{-}]$$

LED  
1000  
2.7183

50%/70%/80%

$$R(\%)=[e^{-}]$$

$$=[2.7183^{-(0.0457/1000\text{hrs}) t}]$$

=50%/70%/80%

, 50% LED  
t = -  
= -[ (ln50%)/(0.0457/1000hrs) ]  
=15177hrs

, 70% LED  
t = -[ (ln7  
= -[ (ln70%)/(0.0457/1000hrs) ]  
=7810hrs

, 80% LED  
t = -[ (ln8  
= -[ (ln80%)/(0.0457/1000hrs) ]  
=4886hrs